



Published on The Well Project (<https://www.thewellproject.org>)  
<https://www.thewellproject.org/hiv-information/physical-activity-exercise-and-hiv>

## **Physical Activity, Exercise, and HIV**

Submitted on Mar 15, 2024

Image



©iStock.com/PeopleImages

*Lea esta hoja informativa [en español](#)*

#### Table of Contents

- [What Are Physical Activity and Exercise?](#)
- [Benefits of Exercise and Being Physically Active](#)
- [How Much and What Type of Physical Activity Do You Need for Health Benefits?](#)
- [Tips for Starting a New Physical Activity Program](#)

## What Are Physical Activity and Exercise?

Physical activity is any activity that gets your body moving. It includes any activity that is part of your daily life – from sweeping and cleaning to carrying groceries, gardening, walking, dancing, riding a bicycle, lifting weights at the gym, stocking shelves in a store, or tossing a ball around with friends.

Aerobic activity can be as simple as walking or cleaning your home with some added pep in your step.

Exercise is a type of physical activity. Exercise is activity that is planned and done on a regular basis (e.g., several times a week) for enjoyment or for improving any aspect of physical fitness – strength, flexibility, or endurance. There are two main types of physical activity or exercise that the US

Department of Health and Human Services (DHHS) recommends for adults: aerobic (cardiovascular or "cardio") and muscle-strengthening (resistance).

Labeling something a physical activity or an exercise is not nearly as important as understanding that the human body was designed to move and stays healthier when doing physical activity. In other words, being active with your body – whether it is through small amounts of activity throughout the day or scheduled blocks of time for more strenuous movement – contributes to a longer, healthier life. Even small changes in your daily life can greatly enhance your activity level and your health: taking the stairs instead of the elevator, carrying instead of wheeling groceries through the store, walking a short distance instead of driving the car.

It is important to know that neither expensive equipment nor difficult techniques are necessary to be physically active. Aerobic activity can be as simple as walking or cleaning your home with some added pep in your step. If it is unsafe or uncomfortable outside, try walking the stairs in your building or stepping up and down off the first step of a sturdy stepstool.

Muscle-strengthening activities can be simple, too. All it takes is your body and a floor – for sit-ups, push-ups, or deep-knee bends. If you want to lift weights, try cans of food, jugs of water, or a spare brick. There are many ways to be safely physically active without spending a lot of money or going special places.

## Benefits of Exercise and Being Physically Active

There are many ways in which physical activity can improve your health – it can build and maintain muscle, increase your endurance, and strengthen your heart. In addition, there are many benefits of exercise that are especially helpful for people living with HIV. Being physically active and having an exercise routine can:

- Increase muscle mass and prevent muscle loss. It is important to note that women rarely "bulk up" or build large muscles without serious weight training regimens over long periods of time. Women's bodies have low levels of testosterone – the hormone that can lead to bulky muscles. Also, many exercises can tone existing muscle without adding bulk.
- Reduce fat around the waist (for more information, see our fact sheet on [Lipodystrophy and Body Changes](#))
- Lower total cholesterol and LDL (the "bad" cholesterol)
- Raise HDL (the "good" cholesterol)
- Lower triglycerides (a type of fat in the bloodstream)
- Help control blood sugars
- Reduce [depression](#)
- Strengthen bones (help prevent [bone disease](#))
- Strengthen the [immune system](#)
- Improve sleep quality
- Reduce [stress](#)
- Give you more energy throughout the day

There is also a connection between muscle mass and immune function. People who exercise often have higher [CD4 counts](#) and fewer [side effects](#) from HIV and HIV drugs.

Because powerful new HIV drugs are allowing many people living with HIV to live long, full lives, many of the medical problems facing people living with HIV now have more to do with [diseases of aging](#) than HIV-related illnesses. Being physically active is important in preventing aging-related health issues. In addition to the benefits listed above, there is strong evidence to suggest that being physically active lowers your risk for:

- Breast cancer
- [Heart disease](#)
- Stroke
- High blood pressure
- [Diabetes](#)
- Colon cancer

***Work Those Arms, Strong Bodies, Strong Minds:** In this episode of Stay Well at Home, advocate and long-term HIV survivor Susan Mull's energetic session combined beautiful poetry and uplifting messages with arm strengthening activities and movement that anyone can do.*

*View other episodes in The Well Project's [Stay Well at Home series](#)*

## **How Much and What Type of Physical Activity Do You Need for Health Benefits?**

There are two types of physical activity that adults need each week to improve their health – aerobic and muscle-strengthening activities.

### **Aerobic (Cardiovascular, "Cardio") Activity**

Aerobic exercise uses oxygen to burn fat in your body. This is why people who are trying to lose weight often do a lot of aerobic exercise. It is also called cardiovascular exercise, because it raises your heart rate and makes your heart stronger. Besides burning fat, it can increase your endurance so that you do not get tired as quickly when you are active. Aerobic exercise can also lower cholesterol, triglycerides, and blood sugars.

Aerobic activity is often described in terms of its intensity, or how much effort it takes to do something. During moderate intensity activity, your heart rate and breathing become a bit faster, and you will likely be a bit sweaty at the end. Another way to think of moderate intensity activity is any activity during which you can talk but not sing. During vigorous intensity activity, a person cannot say more than a few words without pausing for a breath, since vigorous effort causes your heart rate and breathing to increase substantially.

Examples of moderate aerobic activity include:

- Brisk walking (more than three miles per hour, but not race walking)
- General gardening (e.g., weeding, raking leaves)
- Biking (less than ten miles per hour)
- Water aerobics

Examples of vigorous aerobic activity include:

- Running, jogging, or race walking
- Swimming laps
- Jumping rope
- Aerobics (including dancing)
- Heavy gardening (e.g., digging holes, hoeing)
- Cross-country skiing

To see substantial health benefits, the DHHS recommends that adults need to do at least:

- 150 minutes (two hours and 30 minutes) of moderate intensity aerobic activity per week **OR**

- 75 minutes (one hour and 15 minutes) of vigorous intensity aerobic activity per week **OR**
- an equivalent combination of moderate and vigorous intensity aerobic activities

Aerobic activity should be done for at least ten minutes at a time; however, how you reach your total weekly goal is up to you. For example, if you aim for 150 minutes of moderate activity per week, you could do 30 minutes five days a week or ten minutes 15 times throughout your week.

It is important to ask your healthcare provider if you have any conditions that might make it a bad idea to do aerobic activity – especially muscle wasting or very little body fat.

## **Muscle-Strengthening Activities**

Muscle-strengthening activities, also called weight-bearing exercise or resistance training, involve moving or resisting the movement of weight with your muscles. For most people, it is normal to have mildly sore or tired muscles after weight or resistance training. This occurs because these activities actually cause very small muscle tears that take two or three days to heal. When the muscles heal, they heal stronger. Therefore it is important for you to wait two to three days after having exercised a part of the body before strengthening it again. This is usually the amount of time it takes for any soreness to go away.

For health benefits, the DHHS recommends that adults do muscle-strengthening activities at least two days a week at moderate to high levels of intensity. These activities should work all the major muscle groups, including the arms, legs, chest, back, and abdomen.

There are several types of muscle-strengthening activities:

- Exercises that use body weight as resistance (push-ups, sit-ups, deep-knee bends)
- Working with resistance bands
- Lifting weights

Muscle-strengthening exercise can be especially helpful for women living with HIV because they can help prevent both muscle and bone loss. If you have had muscle loss, weight-bearing exercise is probably good for you. However, if you have osteoporosis ([bone disease](#)), weight-bearing exercise could be dangerous. It is important to ask your healthcare provider if weight-bearing exercise is good for you.

## **Other Types of Physical Activity**

Yoga is a form of physical activity that combines movement with poses and attention to breathing.

There are other types of exercise or movement that can improve your health as well. Activities that improve flexibility are important, especially as we age. Things like stretching and yoga can help prevent stiffness and increase the range of motion in joints. Flexibility exercises can help your joints, decrease back pain, increase the flow of blood and nutrients to the tissues, and decrease the likelihood that you will injure yourself doing other forms of exercise.

Yoga is a form of physical activity that combines movement with poses and attention to breathing. It can improve physical qualities such as strength, flexibility, balance, and endurance. It can also reduce stress, anxiety, and depression. Many community centers (e.g., YMCA) offer low-cost or free yoga classes.

Tai chi is another activity that involves movement and attention to breathing. Tai chi is a low-impact, self-paced system of gentle physical activity and stretching. It can reduce stress, improve balance, and promote calmness.

## Tips for Starting a New Physical Activity Program

- Speak to your healthcare provider about what types of physical activity are best for you
- Record your weight and the measurements of your arms, legs, chest, stomach, and hips before starting your exercise program. If possible, also check your body composition (percent body fat and muscle) with a Bio-electrical Impedance Analysis (BIA). A BIA is a non-invasive test that can be done by your healthcare provider or by a fitness trainer at the gym. Many scales can also measure BIA.
- Set realistic goals for yourself. Setting and achieving small, measurable goals is a good way to build toward larger goals.
- Find an exercise buddy. Becoming physically active with a friend can keep you motivated and less likely to skip workouts.
- Start slowly. Do what you can, but do not overdo it. Be patient with your body and your workout.
  - When starting aerobic activity, walk or jog at a pace where you can talk but are not out of breath. You may start out walking/jogging for ten minutes and slowly add five minutes to your workout until you are up to 30 minutes or more several times a week.
  - When starting muscle-strengthening activities, use slow, controlled movements. Lifting or dropping weights quickly can be dangerous and will not help build muscle.
- Stay hydrated! Remember to drink a lot of water before, during, and after your workout.
- Eat well! Good [nutrition](#) is important to staying healthy and giving you the energy you need to be physically active. Wait two hours after a full meal before exercising.
- If you are able, try hiring or talking to a certified fitness trainer to help you develop a good program
- Do not exercise when you are feeling sick (feverish, vomiting, dizzy, diarrhea, etc.)

Being physically active requires commitment. It may take a while for you to reach your weekly goals, but do not give up! You and your health – and those who depend on it – are worth the time and effort it takes.

## Additional Resources

Select the links below for additional material related to HIV and exercise.

- [Exercise and HIV \(aidsmap\)](#)
- [HIV and Exercise \(news24\)](#)
- [Getting Active \(US Office on Women's Health\)](#)
- [Exercise and Physical Activity \(HIV.gov\)](#)
- [Healing HIV: A Holistic Approach \(Yoga Journal\)](#)
- [Physical Activity Basics \(US Centers for Disease Control and Prevention\)](#)
- [Michelle Obama's "Let's Move!" \(archived version\)](#)
- [Staying Active at Any Size \(US National Institute of Diabetes and Digestive and...\)](#)
- [HIV and Exercise \(POZ\)](#)
- [HIV: Nutrition and Exercise \(US Department of Veterans Affairs\)](#)
- [Exercise \(Terrence Higgins Trust, UK\)](#)
- [Positive Fitness: an Online Fitness Class for People Living With HIV \(aidsmap: ...\)](#)
- [Aerobic and Resistance Exercise Improve Health for Older Adults With HIV \(POZ\)](#)
- [Exercise and HIV \(International Association of Providers of AIDS Care\)](#)
- [Being Active When You Have HIV/AIDS \(American College of Sports Medicine, PDF\)](#)



@ 2023 thewellproject. All rights reserved.